

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Services – MA & UD (E1) Department – Allegation in execution of road works taken up in Godavari Pushkarams 2003 in Narasapuram Municipality – Departmental proceedings against Sri K.Srirangaraju, the then Executive Engineer (PH) and Sri G.V.Pallam Raju, the then Dy.E.E.(PH), Narasapuram Municipality – Statements of defense received – Further action dropped – Orders – Issued.

Municipal Administration & Urban Development (E1) Department

G.O.Rt.No 872

Dated:23 .06.2009

Read the following:

- 1) From the Genrl. Admn., (V&E) Deptt., V.R.No.106 (1593/V&E/E1/04, (dt 19.07.2005).
- 2) GO RT No.570 MA & UD (E1) Deptt dt. 21.04.2009.
- 3) GO RT No.571 MA & UD (E1) Deptt dt. 21.04.2009
- 4) Explanation submitted by Sri K.Sreerangaraju, the then E.E.(PH) Narasapuram Municipality.
- 5) Explanation submitted by Sri Pallam Raju, the then Dy. E.E.(PH) Narasapuram Municipality.

<<O>>

ORDER:

The Investigating Agency has reported that there are certain irregularities in execution of road works under taken in the light of Godavari Pushkarams (2003) in Narsapuram Municipality, West Godavari district and submitted a report to Government.

2. In the references 2nd & 3rd read above, Government have framed charges against Sri K. Srirangaraju, the then Executive Engineer (PH) and others for committing irregularities in execution of road works under taken in light of Godavari Pushkarams (2003) in Narsapuram Municipality, West Godavari district.

3. In the reference 4th & 5th read above, Sri K.Srirangaraju, the then Executive Engineer (PH) and Sri G.V.Pallam Raju, the then Deputy Executive Engineer (PH), have submitted that they are not responsible for the deficiencies mentioned in the V&E report in the cadre of Deputy E.E., / E.E., since the average of all the deficiencies in the works is 9.84% which is less than 15% or 20%

4. Government after careful examination of the written statements of defense submitted by S/Sri K.Srirangaraju, the then Executive Engineer (PH) and Sri G.V.Pallam Raju, the then Deputy Executive Engineer(PH),have decided to drop the charges framed against them. Accordingly, Government hereby drop further action against them.

5. The Enginee-in-Chief (PH), Hyderabad shall take further necessary action in the matter.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Dr. C.V.S.K. SARMA

PRINCIPAL SECRETARY TO GOVERNMENT

To

The Engineer-in-Chief (PH),Hyderabad.

Copy to:

Sri K.Srirangaraju, the then Executive Engineer (PH)

(through Engineer-in-Chief (PH)

Sri G.V.Pallam Raju, the then Deputy Executive Engineer (PH),

(through Engineer-in-Chief (PH)

The General Administration (V&E) Department

MA & UD (C) Section.

Secretary, Andhra Pradesh Vigilance Commission.

//FORWARDED BY ORDER//

SECTION OFFICER